


Grays 1144 Profile

EMPIRE DUNNET"
W. HPL. RPF Nº 18686

Can Mackimon

15 © 2021
Lloyd's Registe
01/227-01/23410300



Snap 1184


Misship Sulin

Clan Mackinnon

EMPIRE DUNNET

W. Hpl. RPt Nº 18686





Lloyd's Register Foundation

Stemprame + rudder

EMPIRE DUNNET

W. Apl. Rpt Nº 18686

Wom Markinson

Done?

Lloyd's Register of the Property of the Proper

## RUDDER 1 STERNFRAME AREA TO CROFPINTLES = 145 4 DETAIL OF ARMS CR. OF GRAVITY OF AREA ABAFT CR OF PINTLES 3.98 tt. PARTLY FABRICATED "C"TYPE STANDARD YESSEL & COUPLING. 1/2" TO 1 FOOT DIMS. 425-0 x 56-0 x 38-0 CLASS ..... LLOYDS AND . 577.1 SPEED : IIKTS 1 ST. LONGITUDINAL NUMBER (L.D) = 425-0 x 37 = 15.725 DIA. OF STOCK TO LLOYDS = 11"DIAR MATERIAL :- BEST FORGED SCRAP IRON + 10% ON SECTIONAL AREA = 11 8 DIAR SCALE 3/4" TO 1 FOOT STUFFING BOX & BOX SCALE 3/4 TO 1 FOOT DETAILS AS MARKED 104 orea pours. 52 FIN PLATES TARSE I IN R'ON TO THE DIAMETER. SECTION THRO B-B" SECTION THRO A.A" ELEVATION OF COUPLING STOCK :- BEST FORGED SCRAP IRON ARMS & COUPLING :- CAST STEEL PLAN OF TOP ARM PINTLES :- MILD STEEL. DETAIL OF TOP PINTLE 3" TO 1 FOOT PLAN OF INTERMEDIATE WEBS SECTION AT X-X" DETAIL OF BOTTOM PINTLE. BOTTOM ARM